

# A pathway to In-Memory Computing driven Wellness Digital Twin utilizing Remote Patient Monitoring System (WDT-RPMS)

Un camino hacia un Gemelo digital de bienestar impulsado por la computación en memoria utilizando el sistema de monitoreo remoto de pacientes (WDT-RPMS)

Kishore Kumar Kadari<sup>1</sup>, Ali Shiri Sichani<sup>2</sup>, Wilfrido Moreno<sup>3</sup>

---

Kadari, K.K; Sichani, A.S; Moreno, W. A pathway to in-memory computing driven wellness digital twin utilizing remote patient monitoring system (WDT-RPMS). *Tecnología en Marcha*. Vol. 36, special issue. June, 2023. IEEE Latin American Electron Devices Conference (LAEDC). Pág. 12-22.

 <https://doi.org/10.18845/tm.v36i6.6750>

1 Department of Electrical Engineering, University of South Florida. USA. Ph.D. candidate. Email: kadari@usf.edu

 <https://orcid.org/0000-0003-3891-2446>

2 Department of Electrical Engineering, University of South Florida. USA. Assistant Teaching Professor. Email: alishirisich@usf.edu

 <https://orcid.org/0000-0002-7239-1341>

3 Department of Electrical Engineering, University of South Florida. USA. Professor. Email: moreno@usf.edu

 <https://orcid.org/0000-0001-7003-1177>

## Keywords

Memristor; in-memory computing; MBSE; precision medicine; healthcare; Digital Twin.

## Abstract

With fast-paced digital transformation, precision medicine has been an essential part to elevate the conscience of healthcare with respect to the biopsychosocial model with the help of Remote Patient Monitoring Systems. Digital twins have been successful in many industries, in healthcare, it can optimize the wellness of the human body to improve physical and mental wellness including the non-diagnosed diseased populations and rural populations.

In this paper, we discuss the challenges in terms of computing to implement a complex system called Wellness Digital Twin-based Remote Patient Monitoring System following Model-Based Systems Engineering (MBSE), we present the definition, needs of the digital twin in the context of wellness and healthcare, a feasibility study followed by a concept of operations. Subsequently, we present the requirements and architecture including In-memory computing, (Emerging Non-Volatile Memories, memristive devices) that will enhance sensing, analytics, and levers of action.

## Palabras clave

Memristor; computación en memoria; MBSE; medicina de precisión; cuidado de la salud; gemelo digital.


## Resumen

Con la rápida transformación digital, la medicina de precisión ha sido una parte esencial para elevar la conciencia de la atención médica con respecto al modelo biopsicosocial con la ayuda de sistemas de monitoreo remoto de pacientes. Los gemelos digitales han tenido éxito en muchas industrias, en la atención médica puede optimizar el bienestar del cuerpo humano para mejorar el bienestar físico y mental, incluidas las poblaciones enfermas no diagnosticadas y las poblaciones rurales.

En este artículo, discutimos los desafíos en términos de computación para implementar un sistema complejo llamado Wellness Digital Twin-based Remote Patient Monitoring. Siguiendo la Ingeniería de Sistemas Basada en Modelos, presentamos la definición y las necesidades del gemelo digital en el contexto del Bienestar y la atención médica, un estudio de viabilidad seguido de un concepto de operaciones. Posteriormente, presentamos los requisitos y la arquitectura, incluida la computación en memoria (memorias emergentes no volátiles, dispositivos memristivos) que mejorarán la detección, el análisis y las palancas de acción.

## Introduction

Healthcare services are going through a digital transformation [1] due to increasing data, improving computing power, high-speed communication systems [2] and mobile connectivity technologies. A study in Europe [3] about the key barriers in the healthcare sector emphasized the necessity of remote patient monitoring and the Wellness Digital Twin (WDT).



**Figure 1.** Wellness Digital Twin using Remote Patient Monitoring System.

### Definition of Wellness Digital Twin (WDT)

1. Definition of Wellness Digital Twin (WDT): “Digital twins enable the monitoring, understanding, and optimization of all functioning of humans, and provide constant health insight to improve quality of life, and well-being” [4] From the above definition, the features from literature are data visualization, prediction, intelligence, analysis, decision making, and feedback loop [4]
2. Definition of Electronic Health: FDA states eHealth as a digital informational tool between healthcare and users, World Health Organization (WHO) states it as safe use of information and communication [3].
3. Definition of Remote Patient Monitoring Systems (RPMS): RPMS is a combination of organizational techniques, Electronic Health [3], engaging users using information and training [5].
4. Definition of Model-Based Systems Engineering (MBSE): MBSE is an integrated, consistent, coherent system modeling methodology that uses Systems Modeling Language (SysML), modeling methods, and modeling tools for the design, modeling, synthesis, and verification of complex systems.

In [5], the necessity of a systematic methodology for RPMS is well specified. The complexity of WDT-RPMS due to the great diversity of stakeholders requires the use of methodologies such as design thinking [6] and Model-Based System Engineering (MBSE) [7], [8] throughout the life

cycle. A system model captures design decisions as an element in a repository. The multiple elements are linked and stored in a database in the systems model. [8] An MBSE modeling tool, Magic System of Systems is used for the life cycle stages depicted in figure 1.

### Feasibility study

About 80% of health spending in 2019 went towards care and treatment. 60% of spending is expected to be invested in improving health and well-being by 2040. [9] Consumers shall be empowered to monitor their health using technologies that can detect the initial stages of disease in asymptomatic people and convey drivers of health early which in turn help to prevent diseases. [4], [9]

Existing RPM services such as Extension for Community Healthcare Outcomes (ECHO) that deliver care for cancer [10], and hepatitis C virus treatment [11] played a key role in serving remote parts of New Mexico.

1. **Business Plan:** WDT-RPMS is a subscription-based model. The payment is of two types. The estimated selling price would be \$150 (USD) for hardware with one year warranty. The estimated selling price for the subscription of the private consumer is \$29 (USD) per month. The selling price for the subscription of Government consumers is \$160 (USD) per month. Computer Vision is the current focus of the WDT-RPMS for patient pose monitoring to deliver its service in at least two years into the market.
2. **Holistic approach to wellness:** This research is focused on creating a holistic wellness-based system through digital twins using data acquired from real humans also called “real twins” [4]. The data creation, maintenance, and digital transformation are utilized to increase the positive outcomes for the real twin [12]. While healthcare monitoring is pervasive [3], [13], [14] and complex [12], the Wellness Digital Twin utilizes Remote Patient Monitoring Services (RPMS) and is referred to it as WDT-RPMS. WDT-RPMS network data is combined with Electronic Medical Records (EMR) and other datasets to reveal hidden insights into population health outcomes.
3. **Advances in Computing:** The technological advances in both communication (wireless communication services [2]) and computing research enable digital transformation. The existing computers have von Neumann architecture in which the computation and the memory are physically separated. The data is fetched from memory and transported to the processing unit, where computation happens, and then transported back to the memory unit for storage purposes. The transportation of data between the processing unit and memory costs performance as a memory wall and the high-power dissipation. [15] In-memory process using emerging Nonvolatile Memories (eNVM) specifically, memristive devices will accelerate computing rate with low energy consumption, and low latency.

### Methods- Concept of Operations for WDT-RPMS

The main purpose of the WDT-RPMS system is to improve health outcomes for the patients which directly reduces the cost and improves the quality of health care. WDT-RPMS addresses the large undiagnosed diseased population. WDT-RPMS are designed to minimize Emergency room visits, hospital admissions, and re-admissions and to reduce overall healthcare costs.

RPMS-based WDT system remotely captures health information from users. Information is securely transmitted to the platform in the cloud. In addition, the system provides patient information to healthcare providers and authorized family members. The WDT has its own Artificially Intelligent robotic system to enable precision medicine using RPMS. The robotic


system sense and acts for monitoring the patients to help care providers to decrease the effects of chronic disease and to increase well-being with the help of descriptive analytics, predictive analytics, and prescriptive analytics.

The users of WDT-RPMS technology are doctors, patients, and caregivers. A sample of stakeholders for a WDT-RPMS are sales, marketing, medical support team, technical support team, development, and testing team.

**Stakeholder needs:**

Stakeholder’s needs are collected from individual stakeholders as follows.

- To monitor vitals, which include blood pressure, glucose levels, body temperature, oxygen levels in the blood, body weight, and respiration rate. [16]
- To monitor the patient bedside pose using the camera. [17], [18]
- To monitor the breath contents and volatile organic compounds (VOC) information to diagnose pulmonary disorders, especially lung cancer the second most common cancer. [19]
- To collect the speech and respiratory symptoms using a microphone. [20]
- To perform real-time communication between patient information and doctor during alerts.
- To access historical patient data
- To provide secure data encryption during transmission and at rest for meeting Health Insurance Portability and Accountability Act (HIPAA).
- To meet Food and drug administration (FDA) compliance for home health devices.
- The ontology of the concept shows the flow of the operations sequentially in figure 2, but it could be more dynamic in real-time.



**Figure 2.** Operating Concept (OpsCon).

**Opportunities and Challenges in Computing**

Edge computing makes real-time inferences for large data sets using current advances in parallel computing. Internet of Things that are connected to Cloud-based computing can tune the machine learning-based models before deployment on the edge devices. The existing solutions are using parallelism through a Graphical Processing Unit (GPU) by utilizing multiple cores, each with the shared transportation connected with the memory. Another recent development is accelerators for specific applications, the Tensor Processing Unit (TPU) has been developed for the acceleration of Multiply-Accumulate (MAC) operation. Another progression is through elevating the memory bandwidth (the rate at which the data is transported while reading or

storing it back between processor and semiconductor memory) such as hybrid memory cube, and hybrid bandwidth memory. The latest advancement that has come to overcome the memory wall (the transportation gap between the processing space and the storage space) is a Resistive switching device. [15] An efficient edge computing, video processing pipeline subsystem with low latency and power that can perform millions of complex concurrent arithmetic operations per second is required. With the recent advancements in Resistive switching devices, Resistive RAM (RRAM) has achieved an ultra-low switching power and compatibility in-process fabrication as Complementary Metal Oxide Semiconductor (CMOS).

## Results: Requirements and High-level architecture

WDT-RPMS system's high-level architecture and the state machine behavior of WDT-RPMS is built using the Magic System of Systems Model-based Systems Engineering tool as shown in figure 3, figure 4.

We summarize the sub system's requirements for the next stages of developing WDT-RPMS. The WDT-RPMS consists of sensors that acquire the vitals data, a microcontroller that processes the data, and a communication module that transmits the data and/or inferences to the cloud. The interface from the microcontroller to the mobile applications shall be via Bluetooth. The Nordic part shall be used to transmit data from Bluetooth to display on an application. The WDT-based RPMS is discussed in detail in the following subsections.

### Computing:

The WDT-RPMS shall use RRAM-based computing (currently prototyping on Raspberry pi 4B and/or NVIDIA Jetson Nano microcontrollers). The cost of the cooling system shall be reduced due to RRAM revitalizing the data centers by utilizing the RRAM-based Convolutional Neural Networks (CNN) system [21].

### Sensing

Medical sensing Devices shall be used to monitor the patients using evolving technologies to decrease the bridge between the healthcare providers and the patients by availing appropriate information technology systems.

1. **Environment sensing:** The autonomous Artificial Intelligence (AI) agent shall be able to sense the Sensor Variables (SV) like temperature (thermometer), airflow level (fan ON and OFF cases), humidity, and dust particle density (from particle sensor). Environment sensing is important while sensing the vitals because it is also dependent on the environment a person is in.
2. **Audio Sensing:** The acoustic data (Sound Symptoms for disease) collected by the microphone (embedded in a watch or smartphone application) with respect to time and location (To keep track of the allergens) whenever required shall be sensed. The Agent shall be able to detect the oxygen quantity in the blood and pulse rate to monitor the dust allergens [20].
3. **Video Sensing:** It shall help monitor the user's pose for conditions such as Stroke, Arrhythmia, Pregnancy, COVID/Long COVID, Obstructive Sleep Apnea, Old-age patients, and kids. The sleep pose dataset shall be used to make a model for classifying a patient's pose in bed. The video latency shall be less than 130 milliseconds using the raspberry pi camera.

4. **Breath Sensing:** The volatile organic compounds shall be sensed through nasal and oral breath contents to monitor lungs and gut health, respectively. Breathing rate shall be monitored by the microphone when needed.
5. **Vital sensing:** The vital sensing shall sense the blood pressure, glucose levels, body temperature, oxygen levels, and body weight. [22]




Figure 3. High-level Architecture.




Figure 4. Simulation of State machine Behavior of the WDT-based RPMS.

## Intelligence

1. Descriptive analytics: The sensors are used to convert the useful data in the form of text for further analytics. There are different forms of transcribing text from the given sensors.
  - Environment sensing to the text about the temperature, humidity, particle sensor readings, and GPS location.
  - Audio and Video to text from the time stamps and poses in that respective time stamps.
  - Breath sensor to text that shows the nature of the gut throughout the day.
  - Vitals to text to record the anomalies of the vitals.
2. Predictive analytics (Alerts): According to [23] the monitoring of vital signs can be the basis for the prediction of patient health status. Some of the different kinds of alerts discussed in the behavior of the system are
  - Alert user to buy medication for respective conditions
  - Breathlessness: Chronic Obstructive Pulmonary Disease (COPD) exacerbation alert, Corona Virus Disease (COVID) alert
  - Physiological: Blood Pressure (BP) fluctuations alert, Sugar level fluctuations alerts
  - Mental health alerts

To make the WDT-RPMS system efficient, constraints like genetic information, age, etc. shall be considered from Electronic Medical Records (EMR).

## Levers of Action (*Prescriptions*)

1. To send an alert for Sleep pose correction based on scientific evidence. Levers of actions are shown with the problem against the solution below.
  - COVID/Long COVID Patient - to Prone position for better breathing. [24]
  - Pregnant women -to the left side to decrease stomach-related inconveniences [25]
  - Obstructive sleep apnea- Side-way sleeping [25]
2. To send an alert to do evidence-based breathing exercises
  - Slow and regular breathing can lower blood pressure (BP). [26]
  - Mental health: SKY breath reduces stress levels.[27], [28]

## Conclusion

In-memory computing and MBSE make WDT-RPMS a reliable solution for precision medicine to improve individual health outcomes, thus it contributes to improving global health outcomes.

## References

- [1] Sascha Kraus, Francesco Schiavone, Anna Pluzhnikova, and Anna Chiara Invernizzi. Digital transformation in healthcare: Analyzing the current state-of-research. *Journal of Business Research*, 123:557–567, 2021.
- [2] Bilal Alhayani, Ameer Sardar Kwekha-Rashid, Hemant B Mahajan, Hacı İlhan, Nilesh Uke, Ahmed Alkhayat, and Husam Jasim Mohammed. 5g standards for the industry 4.0 enabled communication systems using artificial intelligence: perspective of smart healthcare system. *Applied Nanoscience*, pages 1–11, 2022.

- [3] European Commission, Directorate-General for Health, Food Safety, F Lupiañez-Villanueva, L Gunderson, S Vitiello, N Febrer, F Folkvord, L Chabanier, N Filali, R Hamonic, E Achard, H Couret, M Arredondo, M Cabrera, R García, L Lopez, B Merino, and G Fico. *Study on health data, digital health and artificial intelligence in healthcare*. 2022.
- [4] Rahatara Ferdousi, Fedwa Laamarti, M Anwar Hossain, Chunsheng Yang, and Abdulmotaleb El Saddik. Digital twins for well-being: an overview. *Digital Twin*, 1(7):7, 2022.
- [5] Marie Ferrua, Etienne Minvielle, Aude Fourcade, Benoît Lalloue, Claude Sicotte, Mario Di Palma, and Olivier Mir. How to design a remote patient monitoring system? a french case study. *BMC Health Services Research*, 20(1):1–16, 2020.
- [6] Mariana Oliveira, Eduardo Zancul, and Andre Leme Fleury. Design thinking as an approach for innovation in healthcare: systematic review and research avenues. *BMJ Innovations*, 7(2), 2021.
- [7] David D Walden, Garry J Roedler, and Kevin Forsberg. IncoSE systems engineering handbook version 4: updating the reference for practitioners. In *INCOSE International Symposium*, volume 25, pages 678–686. Wiley Online Library, 2015.
- [8] Lenny Delligatti. *SysML distilled: A brief guide to the systems modeling language; Chapter 1: Overview of Model-Based Systems Engineering*. Addison-Wesley, 2013.
- [9] Kulleni Gebreyes. Breaking the cost curve. available at <https://www2.deloitte.com/us/en/insights/industry/health-care/future-health-care-spending.html>, year = (accessed: 04.26.2022),
- [10] Tyler S Severance, Zheng Milgrom, Anye Carson, Caitlin M Scanlon, Rishika Chauhan O'Brien, Brent Anderson, Mary Robertson, Andrea Janota, Scott L Coven, Eneida A Mendonca, et al. Cancer prevention, screening, and survivorship echo: A pilot experience with an educational telehealth program. *Cancer medicine*, 11(1):238–244, 2022.
- [11] Veysel Tahan, Ashraf Almashhrawi, Rachel Mutrux, and Jamal A Ibdah. Show me echo-hepatitis c: A telemedicine mentoring program for patients with hepatitis c in underserved and rural areas in missouri as a model in developing countries. *Turk J Gastroenterol*, 26(6):447–9, 2015.
- [12] Marie-Valentine Florin and Gerard Escher. A roadmap for the development of precision medicine. Technical report, International Risk Governance Center (IRGC), 2017.
- [13] Carsten Rocker, Martina Ziefle, and Andreas Holzinger. From computer innovation to human integration: current trends and challenges for pervasive health technologies. In *Pervasive health*, pages 1–17. Springer, 2014.
- [14] European Commission. Enabling the digital transformation of health and care in the digital single market; empowering citizens and building a healthier society, 2018.
- [15] Daniele Ielmini and H-S Philip Wong. In-memory computing with resistive switching devices. *Nature electronics*, 1(6):333–343, 2018.
- [16] Jessilyn Dunn, Lukasz Kidzinski, Ryan Runge, Daniel Witt, Jennifer L Hicks, Sophia Miryam Schussler-Fiorenza Rose, Xiao Li, Amir Bahmani, Scott L Delp, Trevor Hastie, et al. Wearable sensors enable personalized predictions of clinical laboratory measurements. *Nature medicine*, 27(6):1105–1112, 2021.
- [17] Sara Mahvash Mohammadi, Shirin Enshaeifar, Adrian Hilton, Derk-Jan Dijk, and Kevin Wells. Transfer learning for clinical sleep pose detection using a single 2d ir camera. *IEEE Transactions on Neural Systems and Rehabilitation Engineering*, 29:290–299, 2020.
- [18] Hiroki Kato, Yu Enokibori, Naoto Yoshida, and Kenji Mase. Toward fine-grained sleeping activity recognition: 3d extension and an estimation try on joint position of slp dataset. In *Adjunct Proceedings of the 2021 ACM International Joint Conference on Pervasive and Ubiquitous Computing and Proceedings of the 2021 ACM International Symposium on Wearable Computers*, pages 322–327, 2021.
- [19] Yury V Kistenev, Alexey V Borisov, and Denis A Vrazhnov. Breathomics for lung cancer diagnosis. In *Multimodal Optical Diagnostics of Cancer*, pages 209–243. Springer, 2020.
- [20] Xiao Sun, Zongqing Lu, Wenjie Hu, and Guohong Cao. Symdetector: detecting sound-related respiratory symptoms using smartphones. In *Proceedings of the 2015 ACM International Joint Conference on Pervasive and Ubiquitous Computing*, pages 97–108, 2015.
- [21] Nagaraj Lakshmana Prabhu and Nagarajan Raghavan. Computational failure analysis of in-memory rram architecture for pattern classification cnn circuits. *IEEE Access*, 9:168093–168106, 2021.
- [22] Sibi C Sethuraman, Pranav Kompally, Saraju P Mohanty, and Uma Choppali. Mywear: A novel smart garment for automatic continuous vital monitoring. *IEEE Transactions on Consumer Electronics*, 67(3):214–222, 2021.

- [23] Arman Anzanpour, Iman Azimi, Maximilian Gotzinger, Amir M Rahmani, Nima TaheriNejad, Pasi Liljeberg, Axel Jantsch, and Nikil Dutt. Self-awareness in remote health monitoring systems using wearable electronics. In *Design, Automation & Test in Europe Conference & Exhibition (DATE), 2017*, pages 1056–1061. IEEE, 2017.
- [24] Guy Bower and Hangyong He. Protocol for awake prone positioning in covid-19 patients: to do it earlier, easier, and longer. *Critical Care*, 24(1):1–3, 2020.
- [25] Matthew Brown. Sleeping positions—make yours work for you. (accessed: 05.02.2022).
- [26] E Grossman, A Grossman, MH Schein, R Zimlichman, and B Gavish. Breathing-control lowers blood pressure. *Journal of human hypertension*, 15(4):263–269, 2001.
- [27] Sameer Anil Zope, Rakesh Anil Zope, Gabriella Andrea Biri, and Charushila Sameer Zope. Sudarshan kriya yoga: A breath of hope during covid-19 pandemic. *International Journal of Yoga*, 14(1):18, 2021.
- [28] Warsono Warsono and Arief Yanto. Effectiveness of slow deep breathing exercise on decreasing stress levels for patients with diabetes mellitus. *South East Asia Nursing Research*, 2(2):55–59, 2020.

## A Pathway to In-Memory Computing-driven Wellness Digital Twin utilizing Remote Patient Monitoring System (WDT-RPMS)

Kishore Kumar Kadari, Ali Shiri Sichani, Wilfrido Moreno.

Electrical Engineering, College of Engineering, University of South Florida


Contact Information: kadari@usf.edu

### Introduction

- Healthcare services are going through a digital transformation [1] due to increasing data, improving computing power, high-speed communication systems [2], and mobile connectivity technologies.
- A study in Europe [3] about the key barriers in the healthcare sector emphasized the necessity of remote patient monitoring and the Wellness Digital Twin (WDT).

### Concept of Operations for WDT-RPMS

- RPMS-based WDT system remotely captures health information from users. Information is securely transmitted to the platform in the cloud.
- In addition, the system provides patient information to healthcare providers and authorized family members.
- The WDT has its own Artificially Intelligent robotic system to enable precision medicine using RPMS.
- The robotic system sense and acts for monitoring the patients to help care providers to decrease the effects of chronic disease with the help of descriptive analytics, predictive analytics, and prescriptive analytics.



### Requirements for WDT-RPMS

**Computing:** The WDT-RPMS shall use Resistive RAM In-Memory Computing which has ultra-low switching power.

#### Sensing:

- Environment sensing:** The autonomous Artificial Intelligence (AI) agent shall be able to sense the Sensor Variables (SV) like temperature (thermometer), airflow level (fan ON and OFF cases), humidity, dust particle density (from particle sensor). Environment sensing is important while sensing the vitals because it also depends on a person's environment.
- Audio Sensing:** The acoustic data (Sound Symptoms for disease) collected by the microphone (embedded in a watch or smartphone application [4]) with respect to time and location (To keep track of the allergens) whenever required shall be sensed.
- Video Sensing:** It shall help monitor the user's pose for conditions such as Pregnancy, COVID/Long COVID, Obstructive Sleep Apnea, Old-age patients, and kids. The sleep pose dataset shall be used to make a model for classifying a patient's pose in bed.
- Breath Sensing:** The volatile organic compounds shall be sensed through nasal and oral breath contents to monitor lungs and gut health, respectively. Breathing rate shall be monitored by the microphone when needed.
- Vital Sensing:** The vital sensing shall sense the blood pressure, glucose, body temperature, oxygen, and body weight with respect to triggers of the disease.

### Intelligence:

- Descriptive analytics:** The sensors are used to convert the required data into the form of text for further analytics. There are different forms of transcribing text from the given sensors.
  - Environment sensing to the text about the temperature, humidity, particle sensor readings, GPS location.
  - Audio and Video to text from the time stamps and poses in that respective time stamps.
  - Breath sensor to text that shows the nature of the gut throughout the day.
  - Vitals to text to record the anomalies of the vitals.
- Predictive analytics (Alerts):** According to [5] the monitoring of vital signs can be the basis for the prediction of patient health status. The different kinds of alerts discussed in the behavior of the system are
  - Alert user to buy medication for respective conditions
  - Breathlessness: COPD exacerbation alert, COVID alert
  - Mental Health Alerts
  - To make the WDT-RPMS system efficient, constraints like genetic information, age, etc. shall be considered from Electronic Medical Records (EMR).
- Levers of Action (Prescriptive Analytics):**
  - To send an alert for Sleep pose correction using wedges on the bed based on scientific evidence. Levers of actions are shown with the problem against the solution below.
    - COVID/Long COVID Patient - to Prone position for better breathing. [6]
    - Pregnant women - to the left side to decrease stomach-related inconveniences. [7]
    - Obstructive sleep apnea - Side-way sleeping. [7]
  - To send an alert to do evidence-based breathing exercises
    - Slow and regular breathing can lower blood pressure (BP). [8]
    - Mental health: SKY breath reduces stress levels. [9,10]

### References:

- [1] Kraus, Sascha, et al. "Digital transformation in healthcare: Analyzing the current state-of-research." *Journal of Business Research* 123 (2021): 557-567.
- [2] Alhayan, Bilal, et al. "5G standards for the Industry 4.0 enabled communication systems using artificial intelligence: Perspective of smart healthcare system." *Applied nanoscience* (2022): 1-11.
- [3] European Commission, Directorate General for Health and Food Safety, Lupláñez-Villanueva F, Gunderson LV, Hleilo S, Febrer N, Falkvord F, Chabanler L, et al. Study on health data, digital health and artificial intelligence in healthcare. Publications Office; 2022. Available from: doi/10.2875/702007
- [4] Sun, Xiao, et al. SymDetector: detecting sound-related respiratory symptoms using smartphones." *Proceedings of the 2015 ACM International Joint Conference on Pervasive and Ubiquitous Computing*. 2015.
- [5] Anzanpour, Arman, et al. "Self-awareness in remote health monitoring systems using wearable electronics." *Design, Automation & Test in Europe Conference & Exhibition (DATE)*. 2017 IEEE, 2017.
- [6] Bower, Guy, and Hangyong He. "Protocol for awake prone positioning in COVID-19 patients: to do it earlier, easier, and longer." *Critical Care* 24.1 (2020): 1-3.
- [7] Brown, Matthew. "Sleeping Positions Make Yours Work for You."
- [8] Grassman, E., et al. "Breathing control lowers blood pressure." *Journal of human hypertension* 15.4 (2001): 263-269.
- [9] Zope, Sameer Anil, et al. "Sudarshan kriya yoga: A breath of hope during covid-19 pandemic." *International Journal of Yoga* 4.1 (2021): 18.
- [10] Warsana, Warsana, and Ariel Yanto. "Effectiveness of slow deep breathing exercise on decreasing stress levels for patients with diabetes mellitus." *South East Asia Nursing Research* 2.2 (2020): 55-59.